

1st October 2024

Storage and shelf-life information regarding AAK Personal Care product range samples

Storage at AAK Sweden

After production and to ensure optimal quality preservation, all freshly made samples from AAK Sweden have been stored at one of the following temperatures:

- Cold climate: below -18° C
- Refrigerator: max 8°C
- Cool climate: max 15°C


Shelf life of samples should be calculated from the "Print date" stated on the certificate of analysis (CoA) accompanying the sample. Note that this date is 2 days before the dispatch date stated on the sample label.

Recommended storage.

AAK Personal Care samples must be stored according to the conditions provided in the appendix table to secure an optimal shelf life. Please note that this shelf life is not valid for finished packed goods, which is stated in the PDS.

Should you have any questions, please don't hesitate to reach out to your regular AAK Personal Care contact.

Best regards,



Federico Aphalo

Commercial Product Manager
AAK Personal Care

Appendix: Shelf life for samples stored in original unopened packaging

Product name	Material number	Storage before dispatch from AAK	Product category	Shelf life (months) from print date in the sample CoA at storage conditions: <i>Dark, max 10°C</i>	Shelf life (months) from print date in the sample CoA at storage conditions <i>Dark, max 20°C and max 80% humidity</i>
Cold climate:					
AKOCARE Coconut oil™	7716	-20°C	Performance oils	24	12
AKOCARE Coconut RA SG™	7675	-20°C	Performance oils	24	12
Akogel™	8080	-20°C	Texturizing oleogels	36	18
AKOLINE MCM™	8515	-20°C	Emulsifiers	36	18
Akosoft 36™	8547	-20°C	Texturizing oleogels	24	12
Akosun™	8553	-20°C	Performance oils	18	9
High Oleic Brassica Oil	6200	-20°C	Performance oils	18	9
LIPEX® 102	8520	-20°C	Solid butters	24	12
LIPEX® 102 E75™ 100%	8502	-20°C	Surfactants	24	12
LIPEX® 106	8521	-20°C	Solid butters	24	12
LIPEX® 109 S™	8549	-20°C	Performance oils	9	4
LIPEX® 120	8533	-20°C	Performance oils	18	9
LIPEX® 205	8546	-20°C	Liquid butters	24	12
LIPEX® Bassol C™	8627	-20°C	Performance oils	24	12
LIPEX® BC™	8076	-20°C	Structuring agents	24	12
LIPEX® Collect™	8539	-20°C	Bioactive emollients	24	12
LIPEX® CocoaSoft RA MB™	5071	-20°C	Solid butters	24	12
LIPEX® IllipeSoft™	8653	-20°C	Solid butters	24	12
LIPEX® L'sens™	8531	-20°C	Texturizing oleogels	24	12
LIPEX® SMP™	7326	-20°C	Solid butters	24	12
LIPEX® Omega 3/6™	8628	-20°C	Performance oils	24	12

Product name	Material number	Storage before dispatch from AAK	Product category	Shelf life (months) from print date in the sample CoA at storage conditions: <i>Dark, max 10°C</i>	Shelf life (months) from print date in the sample CoA at storage conditions <i>Dark, max 20°C and max 80% humidity</i>
LIPEX® PreAct™	8563	-20°C	Bioactive emollients	24	12
LIPEX® Shea	8599	-20°C	Semi-solid butters	36	12
LIPEX® SheaClear™	8543	-20°C	Liquid butters	24	12
LIPEX® SheaLiquid TR™	8782	-20°C	Liquid butters	24	12
LIPEX® SheaTris™	8649	-20°C	Bioactive emollients	12	6
LIPEX® SheaSolve™	8658	-20°C	Emollient Esters	18	9
LIPEX® SheaLuxe TR™	5127	-20°C	Emollient Esters	18	9
LIPEX® SheaSoft TR™	7601	-20°C	Semi-solid butters	24	12

LIPEX® 102 E75 50%	8501	Max 8°C	Surfactant	18	9
Cool climate:					
Akofine P™	7481	Max 15°C	Structuring agents		18
Akofine R™	7169	Max 15°C	Structuring agents		18